



Handwritten signature
B

PATENT
Attorney Docket No. 54434-20001.00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:	Mark TURCOTTE)	Group Art Unit: 1744
)	
Appl. No.:	09/708,709 ✓)	
)	Examiner: Krisanne Marie Jastrzab
Filing Date:	November 9, 2000)	

Title: ULTRAVIOLET AIR PURIFICATION SYSTEM

MAIL STOP ISSUE FEE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, Virginia 22313-1450

Sir:

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY
WITH SPECIFICATION

In response to the attached copy of the Notice of Drawing Inconsistency with Specification dated August 11, 2004, replacement drawing sheet with FIG. 3C is hereby submitted. This replacement drawing incorporates the change requested by the Office of Patent Publication.

If there are any fees due with the filing of this Response, including any fees for an extension of time, applicant respectfully requests that extension and also request that any and all fees due be charged to Deposit Account No. 03-1952.


Appln. No. 09/708,709

Attorney Docket No. 54434-20001.00


Respectfully submitted,
MORRISON & FOERSTER LLP

Date: September 13, 2004

By: _____


James Remenick
Registration No. 36,902

Customer No. 25227
Morrison & Foerster LLP
1650 Tyson's Blvd., Suite 300
McLean, VA 22102
(703) 760-7700 (telephone)
(703) 760-7777 (telecopier)



05984880 09/708,709

UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed 3-9-04 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures 3C are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures _____ are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)**

Failure to correct the above noted inconsistency will result in **abandonment** of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division
Customer Service: 703-308-6789
1-888-786-0101